




SANYO

**SANYO
STEREO RECEIVER
DCX 6000K
SERVICE MANUAL**



SCHEMATIC DIAGRAM




TR101	3SK 30
TR102	2SC 535
TR103	SE 3001
TR201 ~ TR203, TR205, TR215, TR217	2SC 930
TR209, TR211, TR212	2SC 693
TR204, TR206 ~ TR208, TR210, TR216, TR702	TR703 -- 2SC536
TR213	2SC674
TR214	2SC929
TR301, TR302	2SA726
TR303, TR304, TR401 ~ TR408	2SC1313
TR501, TR502	2SA733
TR503, TR507	2SC875
TR504, TR505, TR701	2SC1175
TR506	2SA659
TR508	2SA532
TR509	2SC1444
TR510	2SA764
TR601	2SB511
TR602, TR603	2SD325
D201 ~ D209	1S188
D501 ~ D504	DS430
D601	RD13A
D602	RD24A-M
D603	RD24A-N
D604	S3RC40
D605	S3RC40R

SELECTOR SWITCH (Position I)

- | | |
|---------------|-----------------------------------|
| 1 : AM | S1 : SIGNAL METER (AM/FM) |
| 2 : FM MONO | S2 : AM/FM POWER SW. |
| 3 : FM STEREO | S3 : FM (MONO/AUTO) |
| 4 : PHONO 1 | S4, S5 : EQ SW. (PHONO/MIC) |
| 5 : PHONO 2 | S6, S7 : EQ INPUT SW. (PHONO/MIC) |
| 6 : MIC | S8, S9 : INPUT SELECT SW. |
| 7 : AUX | S10 : SELECT POSITION INDICATOR |

S11 : METER AND POINTOR SW. (AM, FM)



SANYO ELECTRIC TRADING CO., LTD.
 SANYO ELECTRIC CO., LTD. OSAKA, JAPAN

WM-723 June/'73/1500 Printed in Japan