

## Service Manual

## Stereo Sound System

**X801** (W.GERMANY)  
(ITALY)



### Specifications

**PRODUCT CODE No.**  
**129 343 03 (W.GERMANY)**  
**129 343 04 (ITALY.)**

Tuner section	
Frequency range .....	FM : 87.5 - 108 MHz MW : 522 - 1,611 kHz(W.GERMANY) 526.5 - 1,606.5 kHz(ITALY) LW : 144 - 290 kHz(W.GERMANY) 148.5 - 283.5 kHz(ITALY)
Cassette Deck section	
Recording system .....	AC bias, 4-track stereo
Erasing system .....	Magnet erase, 2-track
Rewind and fast forward time .....	Approx,120 sec.(C 60)
CD player section	
Channels .....	2 channels
Frequency response ...	20 - 20,000 kHz
Channel separation ...	90 dB (1 kHz)
Distortion .....	0.12 % (1 kHz)
Wow and flutter .....	Undetectable
General S/N ratio ...	85 dB
Output power .....	40 W x 2 (at 8 ohms, 10% distortion)

Inputs .....	VIDEO : 47k ohms (280 mV)
outputs .....	Speakers : 8 ohms Headphones : 8 ohms
Power source .....	AC : 220V, 50Hz
Dimensions (approx.) .....	
360 x 328 x 357 mm (W x D x H)	
Weight(approx.) .....	4.2 kg including batteries
RB-X801 Remote control	
Power source .....	DC : 3 V "R6/HP 7" battery, x 2
Dimensions (approx.) .....	
60 x 18 x 160 mm (W x D x H)wer source	

"Dolby" and the double-D symbol are trademark of Dolby Laboratories Licensing Corporation. Dolby Noise Reduction system is manufactured under license from Dolby Laboratories Licensing Corporation.

Specification subject to change without notice.

**REFERENCE No. WM-580494**




---








# SCHEMATIC DIAGRAM (TUNER, ITALY)











SCHEMATIC DIAGRAM (CD)










---









---

