RADIORAMA

INTERESSANTES FÜR FUNK- UND A/V-LIEBHABER

Nr. 131 11/25

Wollensak ...



Wollensak

«Wollensak Optical, Rochester, New York» war ein amerikanischer Hersteller audiovisueller Produkte, 1899 von Andrew Wollensak gegründet, der seit 1882 als Mechaniker bei «Bausch & Lomb» gearbeitet hatte – einem auf Optik spezialisierten Betrieb, ebenfalls mit Sitz in Rochester.

Die erfolgreiche «Wollensak Optical», später im Besitz der «Revere Camera Company» und schliesslich von «3M» (Minnesota Mining and Manufacturing Company) beschäftigte in ihrer besten Zeit mehr als eintausend Mitarbeitende – das Ende kam 1972, da «zu wenig rentabel» ...



Seite 2 RADIORAMA 131 11/25



THE ROCHESTER PHOTO PRESS make over a million advertising photographs each year and must have the best possible results so they use

WOLLENSAK LENSES

exclusively. Our leading lenses are the Vitax F-3.8, Series A. F-5, Versar F-6 and Velostigmat Series 1. F-6.8 and Series 11. F-4.5 and we make a shutter for every purpose. Catalogue free on request.


WOLLENSAK OPTICAL CO. ROCHESTER, N. Y.

Seite 3 RADIORAMA 131 11/25



Wollensak Objektiv $1 \, Zoll \, (25 \, mm) \, f \, / \, 1,9$ Cine Raptar

(ebay.ch)




CLENSAK 800 Wollensak «Rapax» Verschluss

AR NSBOSY O

135 f/4.7

(cameratique.co)

RADIORAMA 131 11/25





Wollensak 8 mm-Filmkamera Mod. 23 «Turret»

(etsy.com)

Wollensak Filmkamera Mod. 43

(collectiblend.com)

Seite 5 RADIORAMA 131 11/25



Wollensak «Stereo 11» Bildbetrachter (vintageviewers.com)

Wollensak Fotokamera «Stereo 10» (stereoskopie.com)



Seite 6 RADIORAMA 131 11/25



ULTRA-POWERFUL!

10 watts push-pull
audio output—four
times greater than
larger, less portable
recorders. Ideal for
auditorium use.



operating panel provides the utmost in operating case. THE most magnificent, lightweight and compact tape recorder available—achieved with top-quality miniaturized components and all-metal airplane type construction. Measuring only 6½"x10½"x11¾" and weighing a scant 18 lbs., it accepts 7" reels with playing time of three hours using long-play tape. Provides finest "Balanced-Tone" high fidelity with enough power to accommodate Large auditorium speakers. In addition to the outstanding features illustrated here, it includes: tape speeds of 3.75 and 7.5 i.p.s.; exclusive high speed rewind lever...two-level recording indicator...precision index counter; streamlined retractable handle and a host of other advantages. Complete with microphone, reels (one with tape) and cords. \$189.50

Collapsible Slip-Over Traveling Cover with pocket for reels, cords, \$7.50



ALT SMM MOVIE
CAMERA — 13mm
(1.9 Lens, Builtnither dial system;
WEATHER-EYE'
moosure dial; filmmooi load; "Picme-Window" opsal view-finder,





(tonbandmuseum.info)



Seite 8 RADIORAMA 131 11/25

WOLLENSAK FULL STEREOPHONIC

SOLID STATE 5280

TAPE RECORDER

4-TRACK STEREO RECORD AND PLAYBACK 4-SPEED

NO MONEY DOWN

RECORDS/PLAYS MORE THAN 34 HOURS MONO, 17 HOURS STEREO

- Detachable speaker wings.
 Compact size: fits smaller bookshalf or table.
 Operates vertically or horizontally.
- Four tape speeds: 7½, 3¾, 1⅓ and ½ ips.
 Multiplex ready for FM stereo re-
- cording.

 Instant pause control.




Walnut Wood Case Folds Up For Compact Storage.





POWER OPERATED **PUSH-BUTTONS**

All Record / Play Functions at your fingertips Separate VU Meters, Tone and Volume Controls for Each Channel.



(reel2reeltexas.com)



Superb features . . . priced with the lowest-cost stereo recorders. Sound quality for the most critical music listeners. Walnut wing speakers place anywhere for best stereo, grace any room. Features Wallensak's exacting "Sound with Sound", famous quality and durability. New solid state design compacts size. New slow tape speeds quadruple recording time. Only Wallensak stereo recorders act as two separate monaural recorders, permitting recording applications never dreamed of before. The 5280 records/plays stereo or mono 1/4 track at 71/2, 334, 17% or ½ ips. Either channel may be used for public address. You can sing or play duets with yourself, call square dances with pre-recorded music, add comments to pre-recorded speeches or language lessons, re-record previous recordings while listening to your first try, etc.
Separate volume and tone controls, VU meters for each channel. Other advanced features are fast forward and rewind with interlocking safety controls and automatic tape lifters; monitor facility; self-adjusting brake sys-

tem; built-in reel locks; automatic shut-off at end of tope; digital tope

tem; built-in reel locks; automatic shur-off at end of tope, digital tope counter.

Specifications: Frequency response 40-17,000 cps ± 3 db @ 7½ ips. Wow and flutter 0.3% max. RMS. Signal to noise ratio 45 db min. Power output 6 watts (3 watts/channel EIA). Track width, ¼ track 0.004" wide. Inputs: mike, radio/phono each channel. Outputs: external speakers, Preamps (0.5-1.5 V.). Size with speakers, 1934x1014x918". Microphone, blank tope and take-up reel included. Shpg. wt. 35 lbs.

\$219.95

No. 31A51. Model 5280. Net Each.

Model 5200. Deck Version of Model 5280. With stereo recording pre-amplifiers for custom home installation, Less power amplifiers and speakers.

No. 31A52.
No. 31A52.
No. 31B49. Walnut Base for 5200. Net Each.
\$179.95



(museumofmagneticsoundrecording.org)

RADIORAMA 131 11/25 Seite 9






Wollensak for '66 new beauty with a soul of stereo

You're looking at over six feet of slim-lined beauty. Seductively clothed in walnut wraps. But underneath lies a soul of powerful stereo sound. A magnificent piece of modern design combined with the traditional excellence of Wollensak... this is the beginning of a new era in tape recorders, a new idea in fine sound systems. So let your wife call it beautiful furniture. You call it beautiful sound. And here are some of the reasons why!






WOLLENSAK CONTROL CENTRAL An exclusive new concept in tape recorder control . . . a complete Sound Studio in a hand-span! All controls are centrally grouped for maximum simplicity, more compact construction, more satisfying sound-on-tape performance.



HIGH SPEED SEARCH CONTROL This new tape handling mechanism provides positive control in fast forward or fast rewind operation for extremely accurate program location. Simplifies both program editing and playing.



PRECISION VU METERS Even the most critical recording gain control settings are made precise through these easy-to-read Wollensak VU meters. All Wollensak stereo models feature individual left and right channel meters.




POWER ACTIVATED PUSH BUTTONS For each playing and recording operation, power activated push buttons provide fingertip touch control of tape. Positive locking control mechanism prevents the accidental erasure of tape recordings.



FOUR-DIGIT COUNTER New, push-to-reset four digit tape counter accurately indicates program location on tapes. Essential for recording/playing long uninterrupted material.



4-SPEED OPERATION 7½ - 3¾ - 1½ - 15/16 ips. A tape speed for every application and need. From long-play voice at an economical 15/16 ips to highest fidelity at 7½ ips. Allows for the utmost in tape recording and playing versatility; with more musical satisfaction than you've ever had.



SOLID-STATE CIRCUITRY Space age transistors allow replacement of vacuum tubes, reduce heat, provide for compact design and more rugged reliability for trouble-free operation. They also assure instant warm-up.



EXTRA LARGE BALANCED FLY-WHEEL Provides positive, constant speed. Minimizes wow and flutter which provides most exact sound reproduction in both record and playback. An assurance of finest true hi-fidelity.

THE SLEEK LOOK IN SUPERB SOUND—WHAT YOU WANT IS A WOLLENSAK!

3M

MODERN PHOTOGRAPHY

8



The first "his 'n hers" tape recorder... new from WOLLENSAK!

his: This p4-inch wide Wollemak is every such the man's Taper Recorder. Four powerful matched speakers provide true stereo separation of sound Solid-state components ensure dependability, instant response Control Central groups all controls within a handspan. AM-FM stereo tuner and tape storage rabinet. More: twin VU meters, calibrated dials, linger-contoured powered push buttons, self-threading reels.

hers: This is fine furnitum—warm and glowing. Fine walnut cab-inety. Speakers faced with testured fabric. Metal surfaces and trim in muted gold toises. Enhances the decor on wall or in bookcase. Matching wafnut sliding doors, AM-FM stereo tuner and storage cabinet optional Model 5800 shown, \$299.95*, Model 5300 Wollensak 3m

What you want is a Wollensak See 1882 with the second to the new sleek look in superb sound





Seite 13 RADIORAMA 131 11/25



(pinterest.com)



google.com)





Johannes M. Gutekunst, 5102 Rupperswil (Kontakt: johannes.gutekunst@sunrise.ch) verbunden mit:







Radiomuseum Bocket

